

Child and Adolescent Immunization Schedule

Vaccine	Birth	1 mo	2 mos	4 mos	6 mos	9 mos	12 mos	15 mos	18 mos	19-23 mos	2-3 yrs	4-6 yrs	7-10 yrs	11-12 yrs	13-15 yrs	16 yrs	17-18 yrs	
Hepatitis B (HepB)	1st dose	2nd dose			3rd dose													
Rotavirus (RV1 = 2 dose; RV5 = 3 dose)			1st dose	2nd dose	3rd dose													
Diphtheria, tetanus, acellular pertussis pertussis (DTaP; <7 yrs)			1st dose	2nd dose	3rd dose		4th dose			5th dose								
Haemophilus influenzae type b (Hib)			1st dose	2nd dose	3rd dose		3rd or 4th dose											
Pneumococcal conjugate (PCV13)			1st dose	2nd dose	3rd dose		4th dose											
Inactivated poliovirus (IPV: <18 yrs)			1st dose	2nd dose	3rd dose					4th dose								
Influenza (IIV)						Annual vaccination 1 or 2 doses						Annual vaccination 1 dose only						
Influenza (LAIV) OR										Annual vaccination 1 or 2 doses OR			Annual vaccination 1 dose only					
Measles, Mumps, Rubella (MMR)						1st dose					2nd dose							
Varicella (VAR)						1st dose					2nd dose							
Hepatitis A (HepA)						2-dose series												
Meningococcal													1st dose		2nd dose			
Tetanus, Diphtheria, and acellular pertussis (Tdap; >7 yrs)													Tdap					
Human Papillomavirus (HPV)																		
Meningococcal B																		
Pneumococcal polysaccharide (PPSV23)																		

Range of recommended ages for all children
 Range of recommended ages for catch-up immunization
 Range of recommended ages for certain high-risk groups
 Range of recommended ages for non-high-risk groups that may receive vaccine, subject to individual



To learn more about our medical group, call Member Relations: (415) 590-7418



aamgdoctors.com



[youtube.com/c/AAMGDoctors](https://www.youtube.com/c/AAMGDoctors)



[facebook.com/DoctorsAAMG](https://www.facebook.com/DoctorsAAMG)

0 - 18 歲建議疫苗接種程序

疫苗	出生	1 個月	2 個月	4 個月	6 個月	9 個月	12 個月	15 個月	18 個月	19-23 個月	2-3 歲	4-6 歲	7-10 歲	11-12 歲	13-15 歲	16 歲	17-18 歲
乙型肝炎 (HepB)	第1劑	第2劑			第3劑												
輪狀病毒 (RV1 = 2劑版; RV5 = 3劑版)			第1劑	第2劑	第3劑												
白喉、破傷風和百日(DTaP; <7 歲)		第1劑	第2劑	第3劑			第4劑					第5劑					
B型流感嗜血桿菌 (Hib)		第1劑	第2劑	第3劑			第3 或 第4劑										
肺炎球菌結合疫苗 (PCV13)		第1劑	第2劑	第3劑			第4劑										
小兒麻痺症疫苗 (IPV: <18 歲)		第1劑	第2劑	第3劑								第4劑					
流感滅活疫苗 (IIV)					每年接種 1劑 或 2劑							每年接種只需1劑					
流感滅毒活疫苗 (LAIV)												每年接種 1劑 或 2劑		每年接種只需1劑			
麻腮風 (MMR) 或							第1劑					第2劑					
水痘 (VAR)							第1劑					第2劑					
甲型肝炎 (HepA)							第2劑										
腦膜炎球菌														第1劑		第2劑	
破傷風、白喉和百日咳 (TDaP; >7 歲)														TDaP			
人乳頭瘤病毒 (HPV)																	
B群流腦																	
肺炎球菌多糖疫苗 (PPSV23)																	

 適合所有兒童的建議接種年齡段
 補打疫苗的建議接種年齡段
 部分高危人群的建議接種年齡段
 非高危人群的建議接種年齡段 · 根據個人情況而定



要了解我們的醫療集團, 請致電會員服務部: (415) 590-7418



aamgdoctors.com



[youtube.com/c/AAMGDoctors](https://www.youtube.com/c/AAMGDoctors)



[facebook.com/DoctorsAAMG](https://www.facebook.com/DoctorsAAMG)